

地球を破滅におとしいれかねない電磁スカラー・パルス砲の存在について

—スティーブン・グリアの講演から— その4

グッチ

1940年代初めにニコラ・テスラが作った初期の電磁スカラー砲をいしずえに、撃墜回収 ET 宇宙船の電磁スカラーシステム研究の積み重ねによって現在の進化した電磁スカラーパルス砲が、陸海空に装備されるようになった。

コルソー中佐が述べる電磁スカラーパルス砲

電磁スカラー・パルス発生装置の理論のいしずえは 19 世紀末から 20 世紀にかけて電磁波関連の天才的発明を米国で行っていたセルビア人ニコラ・テスラ (Nikora Tesla 1856-1943) が築いた。

そのテスラの指向性エネルギービーム理論についてフィリップ・J・コルソー元陸軍中佐(1915-1998)がその著書『ロズウェルの翌日』(“The Day after Roswell” 1997, 邦訳『ペンタゴンの陰謀』(二見書房 1998 年)で言及している。

コルソー中佐は 1942 年にヨーロッパの米国陸軍情報局に入局し、ローマの米

軍対敵情報部隊の隊長となった人。1953～1957年の4年間、アイゼンハワー大統領の国家安全保障会議のメンバーであり、1961～1963年にはペンタゴンの陸軍研究開発局の海外先進技術部の部長だった。

軍事機密を知る立場から、ロズウェル事件でET宇宙船が撃墜されたこと、その先進技術を米軍が取り入れていることなどを『ロズウェルの翌日』で忖度なく明かした。

レーガン大統領が唱えたSDI（戦略防衛構想、俗にいうスターウォーズ計画）に賛同し、超先進技術をもったETを国家安全保障を脅かす敵とみなす極めて戦略的な世界観をもった人物だった。

グリアによれば、ETはたんにテクノロジーだけを進化させているのではなく、同時に精神進化も遂げていて、戦争行為のような野蛮さはとうの昔に克服した平和な知的存在である。

彼らは地球人にはいまだ出来ていない意識の浄化・純化によって、CAT（Consciousness Assisted Technology 意識でテクノロジーを操ること）が可能となっており、宇宙船を意識だけで操縦しているという。

他国、他民族、他宗教と争い続けている地球人の文明はいまだレベル・ゼロの

文明であり、せめて恒久平和を実現したレベル1の文明にならないと、その先の未来はない。

コルソー中佐のような戦略的軍事的な世界観は、このままでは自滅に向うしかない地球人の精神状況を象徴しているといえる。

ただ米軍内の機密情報に触れる立場にあった彼だけが知りえた情報もある。

本論では彼が『ロズウェルの翌日』で明かしたテスラの指向性エネルギービームの論文と、その実現の動きを追って見ることにする。

「粒子ビームを生成し指向性をもたせるテスラの実験は1890年代に順調に進んでいた。」(原書103ページ)

「テスラは20世紀が始まる前にすでに粒子ビーム兵器を含む指向性エネルギービーム装置を理論化していた。」(原書102ページ)

「テスラは実際、指向性加速ビーム兵器について論文を書いていた。彼が初めてその論文書いてから、ARPA（先進研究企画局）が25年もの間、その兵器の実現化を試みていた。一方、ロズウェルで回収された宇宙船の残骸の中から黒焦げの指向性エネルギー装置とレーザー機器の破片が発見され、それから11年後、その装置が航空機材補給部局のエンジニアたちによって記録され、私

のナット・ファイルにしまい込まれたままになっていた。」(原書104ページ)

コルソーの情報が正しいとするなら、ニコラ・テスラは1890年代に指向性加速ビーム兵器の理論を完成し、実験も順調に進んでいたことになる。

そしてARPAが25年間もの間、そのビーム兵器の実現化を試みていたというが、25年後に完成したのか、それとも未完のまま諦めたのかはこの記述からは分からない。しかし1890年代の実験が順調だったのなら、その後の25年間の実現化の試みは相当な結果を出していたに違いない。

その後、テスラが亡くなる1943年までの間に、高電圧を利用した実験を重ねたテスラが、ビーム兵器を改良し、初期的な電磁スカラーパルス発生装置を完成していた可能性がある。

グリアは1942年に実施されたと思われるET解剖の写真が存在することから、1942年以前にテスラのスカラーシステムが実験的に使用され、多くのET宇宙船撃墜が行われたと考えている(2024年3月12日の講演)。

写真

そのテスラの開発したシステムが、撃墜回収UFOのスカラーシステムを研

究することによってさらに進化していったとグリアは考えている（2025年2月6日の講演）。

ニコラ・テスラは1943年1月7日に亡くなった。

コルソーによればテスラの死後、テスラが遺した書類をヘンリー・ウォレス米国副大統領がFBIに回収を指示。FBIはテスラの死後2日目の1943年1月9日に外国人財産局（OAP）に命じて書類を押収させた。ニコラ・テスラはセルビア人だったため外国人財産局が押収に向かったわけだ。

押収したテスラの論文群の中には「自然媒体を使った収束非分散エネルギーの新しい放射法」というタイトルの論文（日付なし）が含まれていた。

「それは高出力の電子エネルギービームを生成し、ターゲットに向けて放射するテスラの方法が書かれていた。」（原書104ページ）

「終戦直後の1945年、オハヨー州デイトン郊外のライト・フィールドの陸軍航空隊がワシントンの外国人財産局からテスラの論文のコピーを求め、軍使を派遣してそれをライト・フィールドに持ち帰った。」（105ページ）

1947年7月2日の夕方にロズウェルで起こったUFO墜落事件は初期の電磁スカラーパルス砲が使われたとグリアは考えている。

テスラが生前、初期的な電磁スカラーパルスシステムを完成していたのなら、それが秘密の軍事組織の手に渡って、ロズウェルで使われたというストーリーがありえるわけだ。

E T宇宙船を撃墜し始めてから、E T宇宙船内で見つかった「指向性エネルギー装置」が電磁スカラーパルス砲の改良に拍車をかけたことだろう。

先の引用から関連部分を取り出してみる。

「一方、ロズウェルで回収された宇宙船の残骸の中から黒焦げの指向性エネルギー装置とレーザー機器の破片が発見され、それから11年後、その装置が航空機材補給部局のエンジニアたちによって記録され、私のナット・ファイルにしまい込まれたままになっていた。」

ロズウェル事件から11年もたった1958年に航空機材補給部局のエンジニアたちがE T宇宙船内にあった指向性エネルギー装置を記録したのは確かだろうが、軍は事件直後から秘密裡にその装置の分析研究（リバースエンジニアリング）をしていたはずである。

その後E T宇宙船はグリアの計算では数百機～1千機が撃墜されている。

ロズウェル事件から77年経った今、リバースエンジニアリングを通じて改

良を重ねたスカラー砲はついに持ち運びができるポータブル版までが登場し、ET 宇宙船に脅威を与えている。

時空を引き裂く力をもっている電磁スカラーパルスは宇宙空間を光速以上の速さで飛ぶテクノロジーと共通の淵源をもっている。

本来地球外文明同士が平和なコミュニケーションをとるためのそのテクノロジーが地球では武器に使用されてしまった。

こうして精神進化が伴わない先進テクノロジーの使用が宇宙の平和を脅かす非常に厄介な状況が生まれたのである。

コルソー中佐の著書「The Day after Roswell」の105ページには以下のような墜落法が記してある。

「この電磁スカラーパルス砲のビームがET 宇宙船の反重力フィールドを乱して墜落させるのだ」。(原書105ページ)

ET 宇宙船が急角度で方向転換できるのは反重力装置で飛んでいるからだ。

その宇宙船を取り巻く反重力フィールドがスカラーパルスで乱されると宇宙船は重力に従って墜落するしかない。

墜落したET 宇宙船が破損して乗員のET たちが死ぬケースも多いが、生きて

捕まった場合 ET たちは酷い扱い (tortured) を受けているとグリアはいう。

こんなことが許されていていいわけがない。

CSETI のアーカイブから

電磁スカラー・パルスの理論についての英文資料は CSETI の [Archive](#) から見る
ことができます。

1. 以下、CIA が調べたソヴィエトのスカラー兵器についてのレポートから図
と文書を紹介します。

ソヴィエトもスカラー兵器を研究していたわけです。

スカラー兵器で飛行機やレーダーを攻撃する想定図は特にインパクトがありま
すし、スカラー干渉装置の図も興味深い。

文書「スカラー電磁理論」はスカラーが量子力学と関係していることが述べら
れている。「真空論」では真空がスカラーとの関連で説明されている。

1. Archive→UFO-Science and Technology→Advanced Weapon-Systems→

CIA The Boehm Aharonov effect Scaler Waves Soviet Weapons.pdf





Figure 8. TACTICAL AIR-TO-GROUND USAGE*






Soviet Weapons.pdf



Approved For Release 2003/09/09 : CIA-RDP96-00789R001900680014-4
Figure 2.

CREATING ENERGY AT A DISTANCE






GENERAL
INTERFEROMETER



XMTR #2

Figure 3. ARTIST'S CONCEPT OF A LARGE SCALAR INTERFEROMETER TRANSMITTER.



Courtesy Hal Crawford.

Approved For Release 2003/09/09 : CIA-RDP96-00788R001900680014-4



Approved For Release 2003/09/09 : CIA-RDP96-00788R001900680014-4




Figure 4. Linear, uncurved laboratory frame.




Figure 5. Rotating the longitudinal wave produces a transverse component.




Figure 6. Bending the laboratory spacetime frame produces a transverse component.




Figure 7. A sensitive scalar wave detector.

Scalar Electromagnetics



- Scalar Electromagnetics -

We first define scalar electromagnetics as the quantum mechanical effects and influences that can be accomplished by electrical and magnetic scalar potentials, even in the absence of electric and magnetic fields, or -- in other words -- that can occur even in otherwise zero-E (electric) and zero-B (magnetic) force-field regions. Note that this definition includes as subsets both the ordinary classical EM field approach and the more fundamental approach of quantum electrodynamics. In the latter approach, one replaces the fields E and B in modern theory with the ϕ (electrostatic scalar potential) and A (magnetic vector potential), with the view that these potentials create the E and B fields in the first place. The Bohm-Aharonov effect shows that the E and B fields can remain zero, and yet the potentials can still cause physical effects.

Thus scalar electromagnetics encompasses two cases: (1) the normal case, in which the potentials are viewed as first creating the fields E and B, and these force fields in turn produce physical effects on charged particle systems; and (2) the case in which fields E and B are zero, yet potentials still exist and produce physical effects on charged particle systems.

Indeed, we assume total primacy of scalar potentials, after the work of Whittaker [e], holding that all the effects of present electrodynamics can be produced by utilization and interference of two or more scalar potentials.

Note particularly that one may deliberately create the zero-field, pure potential condition by opposing magnetic and or electrical fields so that they sum to zero. (Figure 1). That is, the "zero fields" can be resultant vector zeros, where the combining vector components still exist. In this case one creates a deliberate, artificial scalar potential which contains all the energies of the separate infolded [Bohm's term] vector fields used to make the resultant vector zero. All this infolded energy has been transformed to stress of spacetime, or pure potential. (Table 1). However, it does not have a randomized substructure as is usual in quantum electrodynamics, but has a determined, known substructure consisting of the constructed infolded E and B field vectors.

Conceptually, a magnetic pole is such a spatiotemporal stress potential -- but usually with a randomized substructure -- as is an electrical charge.

Now it is fundamental that only the envelope is "observable," and the infolded substructure has become "virtual." But by having a deliberately designed and



- Vacuum Theory -

Since in the modern view the vacuum is composed of massless charge, it can be regarded as a single giant electrostatic scalar potential and magnetostatic scalar potential combined, with zero E and H fields. If one were developing weaponry based on the new scalar electromagnetics, then one might expect to find an energetics theory dealing with such a vacuum and based on scalar concepts. One might even utilize a type of field theory based on a fundamental particle conceptualized as a "little piece of vacuum medium". Indeed, evidence for just such a theory exists in the Soviet literature [1], and direct evidence of the Soviet view of the importance of such a concept was certainly provided by the Petukov-Toth affair. [m]

-Extraction of Distant Energy: A New Concept -

A second highly strategic implication of scalar electromagnetics is that a scalar interferometer connection between transmitter sites and a distant interference zone can be viewed somewhat as a sort of "electrical ground wire" or "common potential" connection between the projectors and the interference site. That is, it represents a "zero-field" connection between them. By establishing a resonance between the distant site and the projector sites, randomized field zeroing that occurs in the natural temperature oscillations at the distant site can be utilized to extract energy from the site to the projectors. That is, one may extract electromagnetic energy from a distance target or region, as well as produce energy at a distance. Again, the energy extracted is not transported through space as normal electromagnetic energy, but as pure scalar potential.

The mechanism for this may easily be seen if one recognizes that, when fields zero by opposition, the vectors comprising the opposition at that point also comprise a special value of scalar potential. Since each single field vector in the opposition has energy, then the energies of the opposing vectors are "locked-in" as spatiotemporal stress of the scalar potential at that opposition point. Thus "ordinary energy" has been converted to "stress of spacetime" (scalar potential). That POTENTIAL, which is simply massless charge, can then directly affect a distant system [a] and can even do it instantaneously. [f]

Thus the scalar potential can be used, by interferometry, to directly produce energy in a distant target or extract energy directly from that target.

Indeed, because of this hitherto unknown effect, the present conservation of energy law is but a special case of a more fundamental stress conservation law. This more fundamental stress conservation law has already been derived by this researcher. [i, pp. 10-11, 43] See Table 1 for a synopsis.

2. Archive→UFO-Science and Technology→Advanced Weapon-Systems→

CIA-Scaler Waves.pdf

CIA-Scaler Waves.pdf の 2 ページにはこんな数式交じりの文もある :

Disclosure Project
Intelligence Archive

ARCHIVE ▼ FAQ CONTACT US W

Archive / UFO-Science and Technology / Advanced Weapon Systems / CIA-Scaler Waves.pdf

Approved For Release 2001/03/07 : CIA-RDP96-00792R000500240001-6

CONFIDENTIAL/NOFORN

From EM theory we can write as follows:

$$\left. \begin{aligned} \bar{E} &= -\nabla\phi - \frac{1}{c} \frac{\partial \bar{A}}{\partial t} \\ \bar{B} &= \nabla \times \bar{A} \end{aligned} \right\} \text{Always ~}$$

In this case ϕ is the scalar (electric) potential and \bar{A} is the (magnetic) vector potential.

Maxwell's equations than predict

$$\nabla^2 \phi - \frac{1}{c^2} \frac{\partial^2 \phi}{\partial t^2} = 0 \quad (\text{Scalar Potential Waves})$$
$$\nabla^2 \bar{A} - \frac{1}{c^2} \frac{\partial^2 \bar{A}}{\partial t^2} = 0 \quad (\text{Vector Potential Waves})$$

A solution appears to exist for the special case of $\bar{E}=0$, $\bar{B}=0$, and $\nabla \times \bar{A}=0$, for a new wave satisfying

$$\begin{aligned} \bar{A} &= \nabla S \\ \phi &= -\frac{1}{c} \frac{\partial S}{\partial t} \end{aligned}$$

S then satisfies

$$\nabla^2 S - \frac{1}{c^2} \frac{\partial^2 S}{\partial t^2} = 0$$

Mathematically S is a "potential" with a wave equation, one that suggests propagation of this wave even through

$$\bar{E} = \bar{B} = 0$$

and the Poynting theorem indicates no EM power flow.

5. (U) From paragraph 4 above there is the suggestion of a solution to Maxwell's equations involving a scalar wave with potential S that can propagate without Poynting vector EM power flow. But the question arises as

あとがき

スカラーの理論は難しいので参考資料を紹介して、理解はこの分野に強い人に任せたいと思います。

当ファイル「その4」で扱ったコルソー中佐の著作からの引用は原書から訳しましたが、翻訳『新時代の幕開け UFOからの技術移転』(Philip J. Corso 著、原澤亮訳)も参考にできます

この訳本はコルソー(またはコースー)中佐の未完の著作 "[Dawn of a New Age](#)"の和訳ですが、訳本139ページの2つ目の節から160ページまでは別の著書 "[The Day after Roswell](#)"の99ページ以降が挟まっています。

この「その4」で引用した箇所はすべてその"The Day after Roswell"に入っていました。

"The Day after Roswell"は邦訳『[ペンタゴンの陰謀](#)』(中村三千恵訳、二見書房1998年)があるようですが、私は入手していません。

「その4」でこのシリーズは終了です。

このシリーズを読んでいただくことによって電磁スカラー・パルス砲の脅威を読者と共有できればいいのですが。